


Low Level-system

for High Lift and Full Vertical

NEW!




part of your door



Introducing the new Low Level system for Industrial Doors and Dock Shelter systems!!

The Low level system is suitable for Highlifts without pitch and Full Verticals. The special designed parts make it easy to pre-assemble the power unit, making it easy to install on site. Use a forklift to lift the power unit onto the brackets, quick and easy mounting!!

Save build-in-space with up-side-down power unit mounting. No extra parts needed for upside down mounting!!



MAX. DOOR WEIGHT: 200 KG.

W= MAX. 4000MM

H= MAX. 4000MM

Z= (ONE SIDE ONLY)

MINIMUM 105MM VL DOORS - MANUAL

MINIMUM 230MM VL DOORS - CHAIN

MINIMUM 230MM VL DOORS - ELECTRICAL

MINIMUM 230MM HL DOORS - MANUAL

MINIMUM 350MM HL DOORS - CHAIN

MINIMUM 350MM HL DOORS - ELECTRIC

Low Level System

for High Lift and Full Vertical
part of your door

Additional Low Level System parts:



13041
Wall mounting bracket
Fully zinc plated
Reinforced ribs
For pulley mounting



13040-L/R
Track mounting bracket
Fully zinc plated
Reinforced ribs
For pulley mounting




25192-L/R
Triangle bracket
Fully zinc plated
Additional track connection holes
Flange for more stability
Able to mount upsidedown



25193
Extra support bracket
Fully zinc plated
For mounting triangle bracket on
vertical angle



20050
Beam 60 x 40mm
Zinc plated
Available length 4500mm
For power unit mounting



20075
Connection bracket.
Fully zinc plated.
Designed to mount the beam onto the
triangle bracket.
Also for mounting bearing plate or
spring break device.



13040 and 13041 with pulley 25358
and pulley bracket 25365



Low Level System

for High Lift and Full Vertical
part of your door

Quality Committed. Unmatched Innovation. Best prices.

Doco International B.V. brings value to your products and convenience to your customers with the most diverse range of high-quality components for industrial and residential (garage) overhead doors available today!

We make our experience available to you in a variety of ways. Whether it is offering our own custom product research and development services or providing our versatile product line to you, we have everything you need to make your door the very best it can be.

We invite you to challenge us and see why we are the best!!!!

Please contact our sales department for more information.

Dock Shelter system

- Easy power unit installation using forklift.
- Save space with upsidedown power unit mounting.
- No extra parts needed for upsidedown mounting
- For Full Vertical and Highlift without pitch
- Pre assemble your power unit

Netherlands

Nusterweg 96
6136 KV Sittard (NL)
Postbus 427
6130 AK Sittard (NL)
T +31 (0)46 - 420 06 66
F +31 (0)46 - 452 68 94
www.doco-international.com
info@doco-international.com

Espana

Doco International s.l.
Pol. Ind. Met Sidro
Avda. Generalitat 55
08530 La Garriga (Barcelona)
T +34 938612825
F +34 938716592

United Kingdom

Doco International Ltd.
Metropol Ctr. Field way Un. K4
UB6 8UN Greenford, Middlesex
T +44 (0)2088132266
F +44 (0)2088132288

Czech Republik

Doco International s.r.o.
Háj 352
798 12 Kralice na Hané
T +420 (0)582360100
F +420 (0)582360300
info@doco-international.cz

